

Hello Shane,

This is a Summer Special Price Promotional.

Orders released to the loft floor today are shipping September 18th, please allow 4 days for Fedex, DHL or TNT shipping.

I have attached some pictures showing some of our sailmaking details and some sailcloth Specifications.

Your quotation is also attached as a .pdf so that it can format correctly on different devices or perhaps be printed for your records.

Please note we ship sails with a very special low cost "customs" invoice. Any taxes you pay are based on that amount and should be very small. You do not pay the 4% credit card fee. You get a straight price from us.

Once you order we assemble all of your data in an organized chart. You will then be able to review the chart and make changes. Once you approve the chart, we draw each sail and you can again review and make changes. Once you approve the drawings, we cut your sail. The process is quite easy.

**Normally we will meet or beat any other quotation not made in error**. Our prices include shipping and we do not add an additional 4 percent for credit card fees. You get a straight price from us and you get a perfect sail. We have been making sails since 1952.

Best Regards,

Michael Fareastsails.com Hong Kong



Google Language Translator -

http://translate.google.com/translate t

http://www.fareastsails.com/

SAIL QUOTATION FAREASTSAILS.COM
Hello Shane,
Below you will find a quotation for your requested sails. Please
note that our special sale price is an Air Courier DELIVERED price
Our sails are OFFSHORE OCEAN RATED and sail computer designed. The Retail price is for sail lofts and other sail resellers.
Recall price is for sall forts and other sall resetters.
Performance Mainsail 2 Reefs + 2 blocks
4 Full Battens Pockets (1085mm 1935mm 2685mm 3315mm)
4 1590 Battens Holders with cars
Draft Stripe, Telltails, Triple Stitched
Sailbag, Loose Footed
Aluminum Headboard, Leech line, Cam Cleat
Radial Patches Head, Clew and Tack
Sail Slides or slugs included
Full Standard Roach 1.10 (110%)       Ontional Luff Maggungment       11582
Optional Luff Measurement 11582 Optional Leech Measurement 11814
Optional Foot Measurement 3977
Sail Area : 25.62m2
7.3oz Challenge Premium High Modulus Dacron - Cross Cut
Special Net Price 1665.00
7.88oz Challenge FASTNET - Cross Cut
Special Net Price 1615.00

> >	7.18oz Challenge Performance Cruise - Cross Cut Special Net Price 1508.00	
> > > > >	1590 Battens Holders with cars 40USD Each 4x = 160.00USD	
> >	Quote in U.S. Dollars - While Promotional Supply Lasts	
> > > >	Air Shipping Included to: Australia	
> <b>&gt;</b> >	Price includes FREE air shipping and shipping insurance.	
>	Notes;	
> > > > >	<ol> <li>Some sails shipped to the USA are now subject to a \$30.00 fee from USA Homeland security. This fee is often waived by the customs inspector. This is the only additional fee that shipments to the USA may incur.</li> </ol>	
> > > > > > > > > >	2) If you have received another quote for your sails, please feel free to discuss this quote with us. Please be advised that sail shipping, insurance, taxes, credit card fees, etc. often increase the price of most other quotes. We respect your sail purchase and provide a simple total price. Also note we are quoting premium name brand sailcloth manufactured in the USA and Germany as well as Sunbrella or Weathermax Acrylic UV protection.	
> > > >	3) To order your sail, click reply and we will forward deposit information or go to <u>http://www.fareastsails.com/farordin.htm</u> for more information.	
> > > >	4) Sail weight is our recommended sail weight. Other weights are available. We have quoted U.S. weight. For example, 7 oz U.S. equals 9 oz British.	
> > > > >	5) Quotes are based on I,J,P and E shown in the quote. If you have not provided these measurements, we have selected them from a universal sailmakers database. Most vessels slightly vary from the sailmakers database and all measurements must be checked. Most variations do not effect the price.	
> > > > >	6) Full batten mainsails come with Nylon Batten Holders installed. Batten tensioning is on the leech end. If you are using another system, such as Harken, please advise. Full batten mainsails do not come with battens. We offer an upgrade to Rutgerson batten holders and wheeled sliders, please ask if interested.	
> > > > >	7) If you are circumnavigating, our worldwide shipping expertise and our internet sail manufacturing system can allow you to work with us from your current port of call. We are experts in world wide "yacht in transit" shipping and we can arrange to have the sails delivered to your next port.	

>

Terms: 50 percent down, balance when sails are ready to ship from Hong Kong. All amounts are in U.S. Dollars. MasterCard, Visa, Amex, Paypal and International Wires are accepted. Lead time is approximately 3 weeks from receipt of order. Shipping time is two to four days via Air Express.

>

>

>

>

>

> >

>

>

>

>

> >

>

>

>

>

>

> > Sails are delivered to your door in most worldwide locations. In some out of the places, particularly South America, sails are delivered to the nearest International airport. If sails are to be delivered to nearest airport, we will advise on quote, otherwise, you can assume delivery to your door.

Sailcloth is quoted in U.S. Weight. We acquire fabric from
 DP, Challenge, and Contender. We are one of the largest
 single purchasers of sailcloth in the World. Our direct purchase
 of sailcloth translates into savings for you. Cloth is selected
 on the basis of your sail dimensions and loads placed on the sail
 based on the aspect ratio of your vessel.

All sails come with a sail bag. Sails over 100 sq. ft. are triple > stitched without surcharge. All sails come with leach line and > cam cleat except high clew and storm wind sails. All sails have a > 2 year limited warranty (Many circumnavigators use our sails). > Main/Mizzen tacks and headsail clews come with leather protection > and anodized aluminum headboards. Slides are webbed on to > mainsail luffs and headsails come with luff tape for furlers or > Piston Hanks with soft film chafe protectors for hank on sails. > Sails have pressed alloy cringles of stainless steel and > nickel-plated slide and hank eyelets. At your choice, sails > can have webbed "O" rings at the tack or a press ring. All Sails > have clew patches, double tape along leech and foot and extra > large patches at tack and clew. Bainbridge and Contender > sailmaking hardware is used as required. All sailmaking thread > is of the highest quality. It is U/V stabilized, abrasion, salt > water and mildew resistant, manufactured by American & Efird. > Genoa UV covers are made with Sunbrella fabric. We know of no > finer sails. >

> Special sail construction options are available, such as logos
 > and sail numbers. Please ask if you are interested.

Once you make a deposit, we will gather your information in an
 easy to review chart. We will ask you to supply simple additional
 information that does not effect the price, but is needed to make
 your sail.

Shortly before production begins we will send you a computer
 generated drawing of your sail from our sail design computer. You
 can check all dimensions or make any necessary changes. If you
 are happy with the drawing, you can give us you ok to proceed and
 we will cut your sail. Please check all measurements.

> Please note that we are an OEM wholesale internet distributor for
 > sails. As such we require that all information be submitted to us
 > via Email. Voice communication leads to errors, so please email
 > your information to us.

One final note, our sails are made without compromise. All of our
 staff regularly sail and we understand your sailing needs. Our

> offer you the	ff is the most knowledgeable in the area and we finest technology to insure you understand the s of building your sails. If you have any questions, ply.
<pre>&gt; Best Regards, &gt; </pre>	
	com - Wholesale on the Net tion submitted onAugust-23-2019 03:40
Email	shanedennis@yahoo.com
Name	Shane Dennis
Phone Number	0420 647 097
Country for delivery	Australia
Make of our vessel	Beneteau 323
Length of your vessel	10m
Approximate Year Manufactured	2005
Sails Needed	Mainsail
Mainsail Batten Type	Full
Number of Reef_Rows	3
Headsail size	
UV Suncover Needed_for_Genoas	
I Measurement	
J Measurement	
P Measurement	11710
E Measurement	4015
PY Measurement	
EY Measurement	
Optional Luff Measurement	11582
Optional Leech Measurement	11814
Optional Foot Measurement	3977
How did you hear about us	Referral

about us

Comments	<ol> <li>I can provide the Beneteau Mainsail Specification and Technical Worksheet. 2. Please allow for the reuse the four existing battens. I can send photos of their width at leech and luff. Lengths of battens are: 1085mm 1935mm 2685mm 3315mm 3. Please add blocks for reef points 1 and 2 both at the luff and the leech (can send diagram of what this should look like).</li> <li>Tell tales. 5. Loose footed. 6. Leech line. 7. Cruising gruelity. 9. Betten serve</li> </ol>
	quality. 8. Batton cars.