

ORDER # 6000 823 RAMON.

HEADSAIL MEASUREMENT FORM

We require the following information and measurements to enable us to ensure a perfect fit for your new sail. Please note that if asked for max dimensions or max hoist, we will deduct a suitable amount for stretch. Do not measure sails using a rope. It is advisable to use a long fiberglass tape.

STAY SAIL.

CUSTOMER NAME: RAMON E MATORANA
 ORDER # 6000 823 RAMON.
 BOAT TYPE: SLOP. ROCKER IN MAST.
 RIG TYPE: FRACTIONAL OR MASTHEAD

HOW TO COMPLETE THIS FORM:

Either measure existing sail or enter rig dimensions

EXISTING SAIL

Pull sail tight for measurement. Ensure each length is a straight line measurement from head to tack and clew.

1.70 ? 4.40 4.00 20.85 7 9.45 9.00



* The shortest diagonal distance between the clew and the luff. Attach at clew, sweep measure in arc at luff.

MEASURE YOUR RIG

Attach tape measure to genoa halyard and maximum hoist to top block.

I 14.85
A 15.10
J 4.40
IRK 6.65
11.20

- Take measurement to deck for (I) Take measurement direct down to side deck. 21.30 m
- Now measure max Luff length (A) Take measurement to tack pin on furler. 21.10 m
- Now measure (J) length. Drop halyard, remove tape measure and attach to forestay intersection at bow. Measure length from this position to front of mast. 6.35 m
- Track positions. Whilst tape measure is attached to tack pin at bow, measure your sheeting track positions to front and back IN STRAIGHT LINE. 6.65 m TRACK FRONT, 11.20 m TRACK BACK



SAIL OPTIONS (circle)

9oz Sunbrella UV Colour - Navy blue, marine blue, red, white, black, other. 5oz Sunbrella Captain Navy, White and Silver.

- UV to Port or Starboard
- Foam Luff Yes/No
- Hanks Yes/No

If Yes: Forestay Diameter mm

TACK DETAILS

(B) Sail insertion height	<u>1.05 MT</u>	<u>1.00 MT</u>
(C) Deck to top of shackle	<u>.62 CM</u>	<u>.56 CM</u>
(E) Diameter of luff tape*	<u>0.0065 MM</u>	<u>0.005 MM</u>

*If measuring groove on sail deduct 1mm.

MAIN
 STAY

TAIL OF THE MAIN. 1.46 MT. UV SUNBRELLA PROTECTION.

Mainsail-Measurement-...

Sail please note that if asked for max dimensions or max hoist, we will deduct a suitable amount for stretch. Do not measure sails using a rope. It is advisable to use a long fiberglass tape.

CUSTOMER NAME: **RAMON E MATURANA, ORDER # 6000 823 RAMON.**
BOAT TYPE: **Sloop, FURLER IN MAST** RIG TYPE: FRACTIONAL OR MASTHEAD

HOW TO COMPLETE THIS FORM

Either measure existing sail or enter rig dimensions


EXISTING SAIL

Pull sail tight for measurement. Ensure each length is a straight line measurement from head to tack and clew.

MAX LUFF: **19,15 m** MAX LEECH: **?** MAX FOOT: **5,80 m**

MEASURE YOUR RIG

Attach tape measure to mainsail halyard and maximum hoist to top block.



FURLER IN MAST.

1. To measure max Luff: (P) (we will deduct stretch) **21,00 m**
Take measurement to top of boom for Luff.

2. To measure max Leech: (we will deduct stretch) **?** m
Take measurement to desired clew position or black band.

(Only necessary if boom end needs to be raised to allow for sprayhood or other).

3. To measure Foot (E) **5,93 m**
Drop halyard, remove tape measure and measure length of boom from back of mast to black band or clew position.

4. To measure Backstay distance (D) **8,05 m**
Measure from back of mast to backstay.

5. To measure Mast Bend.
With the main halyard pulled tight down to the intersection of boom and mast, look up the mast to determine the mast bend. Estimate the distance between halyard and aft face of mast about 1/2 way up and record this as the Mast Bend Measurement. **mm**

TACK DETAILS (refer to diagram above)

1. Tack Back (A) Measure from back of mast to centre of tack pin. **mm**

2. Tack Up (B) Measure from top of boom to centre of tack pin. **mm**

3. Sail insertion height. From top of boom to bottom of mast gate. **mm**

CLEW DETAILS (please tick option 1, 2 or 3)


1. Standard is stainless steel ring only

2. 5/8 ring with velcro strap to go around boom

3. 5/8 ring with clew slide for boom groove. Specify slide number and dimensions as per diagram on page 2

TAIL OF MAIN. 1.46 MT UV SUNBRELLA PROTECTION.

MAINSAIL MEASUREMENT FORM



LUFF ATTACHMENT

Specify luff slide style 1,2,3 or other (see diagrams) OR provide measurements and photo.

NO.1

NO.2

NO.3

- Cambiar nombre
- Editar
- Marcado
- Compartir
- Más

