

Asymmetric: 6001002 Aki Code Zero.des

Design Info
=====

Design File:
D:\dropbox\Dropbox\Dropbox\Fareast Sails\2022 Order\Need confirm order\6001002 Aki\6001002 Aki Code Zero.des

Initial Design Date: 15/3/2011
Boat:

Comments:

Client:

Design Data
=====

Asymmetric

Measurements

Luff length (SLU):	20.000m	
Leech length (SLE):	18.062m	
Foot length (SFL):	9.320m	
Headboard Width:	0.030m	
Three-quarter width:	3.048m	Closest Pt: 2.735m
Half width (SHW):	5.500m	Closest Pt: 5.013m
Quarter width:	7.543m	Closest Pt: 6.935m
ORC Area:	99.348m?	
IRC Area:	98.951m?	
Surface Area:	96.348m?	
Hoist height:	19.800m	
J:	5.970m	

Luff Curve

15.500m,	0.000m
11.625m,	0.000m
7.750m,	0.000m
3.875m,	0.000m
0.000m,	0.000m

Fanned Luff (@ 5.00% [0.456m])

100% (19.995m) :	0.000m	-0.000m
90% (17.928m) :	-0.057m	0.114m
79% (15.874m) :	-0.113m	0.222m
69% (13.849m) :	-0.164m	0.299m
59% (11.847m) :	-0.195m	0.335m
49% (9.856m) :	-0.196m	0.339m
39% (7.871m) :	-0.178m	0.321m
29% (5.894m) :	-0.148m	0.272m
20% (3.922m) :	-0.104m	0.208m
10% (1.957m) :	-0.050m	0.119m
0% (0.000m) :	0.000m	0.000m

Before BSeam

Asymmetric: 6001002 Aki Code Zero.des

Seam Allowances

Zone:	Split	Radial	Cross
Zone: 1/a	0.025m	0.015m	0.025m
Zone: 1/b	0.025m	0.015m	0.025m
Zone: 2/a	0.025m	0.015m	0.025m
Zone: 2/b	0.025m	0.015m	0.025m
Zone: 3	0.025m	0.015m	0.025m

Edge Excesses


Sail:	Luff	Leech	Foot
	0.000m	0.000m	0.000m

Total Seam Lengths (m)

Horizontal	11.31
Radial/Vertical	313.75
Bi-Radial Split	11.92

Materials

Material	Area (m ²)	Panels
Material 1	55.07	1\1,1\2,1\5,1\7,1\8 1\10,1\13,1\14,1\15,1b\1 1b\2,1b\5,1b\7,1b\8,1b\10 1b\13,1b\14,1b\15,2\1,2\2 2\5,2\7,2b\1,2b\3,2b\6 2b\7,3\1,3\2,3\5,3\8 3\11,3\12
Material 2	41.50	1\3,1\4,1\6,1\9,1\11 1\12,1b\3,1b\4,1b\6,1b\9 1b\11,1b\12,2\3,2\4,2\6 2b\2,2b\4,2b\5,3\3,3\4 3\6,3\7,3\9,3\10



Asymmetric: 6001002 Aki Code Zero.des

