


1.2 Hovedplan

1.2.1 Riggeplan



Henvisning

Gyldige mål for forseilets rullesystem er oppgitt på anvisningen som medfølger rullesystemet fra Furlex.

	- Headsail -	7000814Hans	
H0	Sail Layout	Not Yet Posted	
H1	Size of Headsail (110, 135, 150 etc.)"	150	HELP
H2	Luff Length, Max Hoist, B measurement	1502 cm webbing loop tip to webbing loop tip (Max) (Net Finished size day of delivery)	HELP
H3	Leech Length	sailmaker	HELP
H4	Foot Length	sailmaker	HELP
H5	Tack and Head Fittings	Webbing Loops	
H6	Clew Type (Press ring or O-Ring)	Pressring	HELP
H7	Leech Line	Yes	
H8	Reefs for Hank on Sail (specify Qty of tiedowns)	No Manual Reefs	
H9	Foot Line	Yes	
H10	Track 1 (Tack to Genoa Track Beginning)	100 cm	HELP
H11	Track 2 (Tack to Genoa Track Ending)	1502 cm	HELP
H12	Vessel "I" Measurement	15.650m	HELP
H13	Vessel "J" Measurement	4.740m	HELP
H14	Calculated Forestay Length	Sailmaker	
H15	Reef	N/A	
H16	LP	Sailmaker	HELP
H17	Color of Suncover	Grey	HELP

H1 8	Side of Sail for Suncover (port or Stbd)	Stbd	
H1 9	Luff Tape Size (such as #6)	4 mm	HEL P
H2 0	Furler Manufacturer	Selden, converted to elektrik	
H2 1	Foam Luff	YES	HEL P
H2 2	Cut Type	Cross	
H2 3	Sail Area	Sailmaker	
H2 4	Telltails	Yes	HEL P
H2 5	Telltail Window	No	
H2 6	Triple Stitch	YES	
H2 7	Logo	No	HEL P
H2 8	Cloth Weight	7.3oz Challenge Premium High Modulus Dacron - Cross Cut	
H2 9	Sail Numbers and Color (red, blue or black)	No	HEL P
H3 0	Sheeting Stripe (red, blue, black)	No	HEL P
H3 1	Draft Stripe Color (red, blue or black)	Yes (Blue)	HEL P
H3 2	Clew Height off Deck	sailmaker 96 cm	HEL P
H3 3	Tack Height off Deck	79 cm	HEL P
H3 4	Luff tape starts 18" up from Tack	100 cm from tackpoint	HEL P
H3 5	Specialty Sail	No	HEL P
	Customer Note: All details we can check as sailmakers		HEL P

	are based on accurate vessel I and J Measurements		
--	------------------------------------------------------	--	--

Note: We want a cruising cut, with good visibility under the sail, and have lifted the sail over the railing. The tackpoint in front is lifted 30 cm, which we like you to compensate with a 30 cm Dyneema strap.

The clewpoint aft is lifted 60 cm.

We have converted the Selden S300 furler to elektric. The bottom toggle of 15 cm length is moved to the top. This to make the torque better for the el-furler.

Sailnumber is NOR 12830. We like that in blue colour on both side of the sail.