


|     |            |    |                      |
|-----|------------|----|----------------------|
| 8   |            |    |                      |
| M49 | Boom Cover | No | <a href="#">HELP</a> |
| M50 | Lazy Bag   | No | <a href="#">HELP</a> |



|              |               |  |
|--------------|---------------|--|
| - Headsail - | 7000209 Burke |  |
|--------------|---------------|--|

Jib LMC

2000 209

|     |   |  |                        |
|-----|---|--|------------------------|
| H0  | Sail Layout   | Not Yet Posted   |                        |
| H1  | Size of Headsail (110, 135, 150 etc.)"                                      | Luff Leech and Foot                                    | <a href="#">HELP</a>   |
| H2  | <i>Present luff length of sail</i><br>Luff Length, Max Hoist, B measurement | 14.800m (Max)<br>(Net Finished size day of delivery) ✓ | <a href="#">HELP</a>   |
| H3  | Leech Length  | Sailmaker – See Diagram                                | <a href="#">HELP</a>   |
| H4  | Foot Length   | See Diagram  | <a href="#">HELP</a>   |
| H5  | Tack and Head Fittings  | Press Ring   | ✓                      |
| H6  | Clew Type (Press ring or O-Ring)  | Press Ring   | <a href="#">HELP</a> ✓ |
| H7  | Leech Line  | Yes  | ✓                      |
| H8  | Reefs for Hank on Sail (specify Qty of tiedowns)                            | No Manual Reefs  | ✓                      |
| H9  | Foot Line   | Yes  | ✓                      |
| H10 | Track 1 (Tack to Genoa Track Beginning)                                     | N/A  | <a href="#">HELP</a>   |
| H11 | Track 2 (Tack to Genoa Track Ending)  | N/A  | <a href="#">HELP</a>   |
| H12 | Vessel "I" Measurement  | N/A  | <a href="#">HELP</a>   |
| H13 | Vessel "J" Measurement  | N/A  | <a href="#">HELP</a>   |
| H14 | Calculated Forestay Length  | N/A  |                        |
| H15 | Reef  | N/A  |                        |
| H16 | LP  | N/A  | <a href="#">HELP</a>   |
| H17 | Color of Suncover   | N/A  | <a href="#">HELP</a>   |
| H18 | Side of Sail for Suncover (port or Stbd)                                    | N/A  |                        |
| H19 | Luff Tape Size (such as #6)   | Brass Piston Hanks<br>10mm Stay                        | <a href="#">HELP</a> ✓ |

Jib LMC. 7000 209

|         |   |                             |                        |
|---------|---|-----------------------------|------------------------|
| H2<br>0 | Furler Manufacturer   | N/A                         |                        |
| H2<br>1 | Foam Luff   | N/A                         | <a href="#">HELP</a>   |
| H2<br>2 | Cut Type  | <del>Cross</del> Tri Radial | <del>*</del>           |
| H2<br>3 | Sail Area   | Tri Radial                  |                        |
| H2<br>4 | Telltails   | Yes                         | <a href="#">HELP</a> ✓ |
| H2<br>5 | Telltail Window   | No                          |                        |
| H2<br>6 | Triple Stitch   | YES                         |                        |
| H2<br>7 | Logo  | No                          | <a href="#">HELP</a>   |
| H2<br>8 | Cloth Weight  | DP-DCX - H - Tri Radial     | ✓                      |
| H2<br>9 | Sail Numbers and Color (red, blue or black)   | No                          | <a href="#">HELP</a>   |
| H3<br>0 | Sheeting Stripe (red, blue, black)  | No                          | <a href="#">HELP</a>   |
| H3<br>1 | Draft Stripe Color (red, blue or black)   | <del>Yes (color ?)</del> no | <a href="#">HELP</a>   |
| H3<br>2 | Clew Height off Deck  | sailmaker                   | <a href="#">HELP</a>   |
| H3<br>3 | Tack Height off Deck  | N/A                         | <a href="#">HELP</a>   |
| H3<br>4 | Luff tape starts N/A up from Tack   | N/A                         | <a href="#">HELP</a>   |
| H3<br>5 | Specialty Sail  | No                          | <a href="#">HELP</a>   |
|         | Customer Note: All details we can check as sailmakers are based on accurate vessel I and J Measurements |                             | <a href="#">HELP</a>   |

-----

Main LMC

|     |  |   |  |
|-----|--|---|--|
|     | - Mainsail - <i>Lmc</i>                                    | 7000209 Burke   |  |
| M0  | Sail Layout  | Not Yet Posted  |  |
| M1  | Tack Cut Back (Aft face of Mast to center of tack Pin - A) | 70mm  | <a href="#">HELP</a> ✓                 |
| M2  | Tack Cut Up (Top of Boom to Center of tack Pin - B)        | 30mm  | <a href="#">HELP</a> ✓                 |
| M3  | Clew Cut Up (Top of Boom to Center of Tack Pin - X)        | Loose Footed  | <a href="#">HELP</a> ✓                 |
| M4  | Clew type (slug, outhaul car or ring with strap)           | Webbed Press Ring with A033 Slug  | <a href="#">HELP</a> ✓                 |
| M5  | Sunbrella clew cover for Furling Mains                     | na  | <a href="#">HELP</a>                   |
| M6  | Other Offsets  | Reef Set Back = 90mm<br>Reef Hook Height = 60mm<br>Slide Feeder Height = 330mm <i>630</i> | <a href="#">HELP</a> ✓<br><del>X</del> |
| M7  | Headboard  | Yes<br>Mast Crane 100mm<br>Capstay  | <a href="#">HELP</a>                   |
| M8  | Leech Line   | yes   | ✓                                      |
| M9  | Foot Line  | No  |  |
| M10 | Tack Ring Type <i>See photograph. Super ring.</i>          | Webbed O-Ring ?   | <a href="#">HELP</a>                   |
| M11 | Tack angle   | See Luff Leech and Foot   | <a href="#">HELP</a>                   |
| M12 | Jack Line  | No  | <a href="#">HELP</a>                   |
| M13 | Mast Bend (Luff Round)                                     | Std   | <a href="#">HELP</a> ✓                 |
| M14 | Fractional Rig (Yes, No)                                   | No  | <a href="#">HELP</a> ✓                 |

Main LMC

7000209

|         |   |   |                        |
|---------|---|---|------------------------|
| M1<br>5 | Mast - Keel or Deck Stepped?                  | N/A   |                        |
| M1<br>6 | Number of Reefs                               | 3 Reefs   | <a href="#">HELP</a> ✓ |
| M1<br>7 | Intermediate Reefing Diamond Eyes (Yes or No) | YES   | <a href="#">HELP</a> ✓ |
| M1<br>8 | Foot Reefing Grommets (next to boom)          | N/A   | <a href="#">HELP</a>   |
| M1<br>9 | Reefing Ring Type <i>see photograph</i>       | Floppy Rings <i>dog bones</i>                       | <a href="#">HELP</a> ✗ |
| M2<br>0 | Luff Length (Max Hoist - P) ✓                 | 13.50m Max ✓<br>(Net Finished size day of Delivery) | <a href="#">HELP</a> ✓ |
| M2<br>1 | Foot Length (Max Foot - E) ✓                  | 4.350m Max ✓<br>(Net Finished size day of Delivery) | <a href="#">HELP</a>   |
| M2<br>2 | Leech Length (straight line head to clew)     | 14.100m ✓<br>(Net Finished size day of Delivery)    | <a href="#">HELP</a>   |
| M2<br>3 | Bimini to Clear (yes or no)                   | no  | <a href="#">HELP</a>   |
| M2<br>4 | Foot Round                                    | Sailmaker ✓   |                        |
| M2<br>5 | Aspect Ratio                                  | Sailmaker ✓   | <a href="#">HELP</a>   |
| M2<br>6 | Vessel Backstay Measurement                   | N/A   | <a href="#">HELP</a>   |
| M2<br>7 | Luff Slides (Part Number)                     | A008  | <a href="#">HELP</a>   |
| M2<br>8 | Foot Slides (Part Number)                     | Loose Footed ✓                                      | <a href="#">HELP</a>   |
| M2<br>9 | Roach Type                                    | 120 ✓   | <a href="#">HELP</a>   |
| M3<br>0 | Roach Factor                                  | 1.20  | <a href="#">HELP</a>   |

Main LMC 7000209

|         |   |   |                        |
|---------|---|---|------------------------|
| M3<br>1 | MGM   | Sailmaker   | <a href="#">HELP</a>   |
| M3<br>2 | MGU   | Sailmaker   | <a href="#">HELP</a>   |
| M3<br>3 | Batten Type (Partial or Full)               | 5 Full ✓  | <a href="#">HELP</a> ✓ |
| M3<br>4 | Include Battens                             | N/A   |                        |
| M3<br>5 | Install Nylon Batten Holders                | YES<br>Rutgerson 1590 ✓                           | <a href="#">HELP</a>   |
| M3<br>6 | Intermediate Sliders                        | 2x A008   | <a href="#">HELP</a> ✓ |
| M3<br>7 | Cloth Weight                                | DP-DCX - H - Tri Radial ✓                         |                        |
| M3<br>8 | Cut Type                                    | Tri Radial ✓                                      |                        |
| M3<br>9 | Sail Area                                   | Sailmaker   |                        |
| M4<br>0 | Cunningham <i>200 mm above tack</i>         | No <i>yes</i>                                     | <a href="#">HELP</a> X |
| M4<br>1 | Telltails                                   | Yes   | <a href="#">HELP</a> ✓ |
| M4<br>2 | Triple Stitch                               | Yes   | <a href="#">HELP</a> ✓ |
| M4<br>3 | Sail Logo and Color (red, blue or black)    | No <i>Port side</i><br><i>www.verdfenster.com</i> | <a href="#">HELP</a>   |
| M4<br>4 | Sail Logo Artwork                           | N/A   |                        |
| M4<br>5 | Sail Numbers and Color                      | No  | <a href="#">HELP</a>   |
| M4<br>6 | Draft Stripe and Color (red, blue or black) | Yes (Color?) <i>NO</i>                            | <a href="#">HELP</a> X |
| M4<br>7 | Overhead Leech Line                         | No  |                        |
| M4<br>8 | Specialty Sail                              | No  | <a href="#">HELP</a>   |

|         |            |    |                      |
|---------|------------|----|----------------------|
| M4<br>9 | Boom Cover | No | <a href="#">HELP</a> |
| M5<br>0 | Lazy Bag   | No | <a href="#">HELP</a> |

Mizzen LMC

|         |  |  |                      |
|---------|--|--|----------------------|
|         | - Mizzen -   | 7000209 Burke  |                      |
| M0      | Sail Layout  | Not Yet Posted   |                      |
| M1      | Tack Cut Back (Aft face of Mast to center of tack Pin - A) | 70mm ✓   | <a href="#">HELP</a> |
| M2      | Tack Cut Up (Top of Boom to Center of tack Pin - B)        | 30mm ✓   | <a href="#">HELP</a> |
| M3      | Clew Cut Up (Top of Boom to Center of Tack Pin - X)        | Loose Footed ✓   | <a href="#">HELP</a> |
| M4      | Clew type (slug, outhaul car or ring with strap)           | Webbed Press Ring ✓  | <a href="#">HELP</a> |
| M5      | Sunbrella clew cover for Furling Mains                     | na   | <a href="#">HELP</a> |
| M6      | Other Offsets  | Reef Set Back = 90mm ✓<br>Reef Hook Height = 60mm ✓<br>Slide Feeder Height = 330mm ✓ | <a href="#">HELP</a> |
| M7      | Headboard  | Yes ✓  | <a href="#">HELP</a> |
| M8      | Leech Line   | yes ✓  |                      |
| M9      | Foot Line  | No ✓   |                      |
| M1<br>0 | Tack Ring Type <i>Photo Super rings</i>                    | Webbed O-Ring 2  | <a href="#">HELP</a> |
| M1<br>1 | Tack angle   | Luff, Leech and Foot   | <a href="#">HELP</a> |
| M1<br>2 | Jack Line  | No ✓   | <a href="#">HELP</a> |
| M1<br>3 | Mast Bend (Luff Round)                                     | Std  | <a href="#">HELP</a> |

Mizzen LMC

7000209

|         |   |  |                      |
|---------|---|--|----------------------|
| M1<br>4 | Fractional Rig (Yes, No)                      | No   | <a href="#">HELP</a> |
| M1<br>5 | Mast - Keel or Deck Stepped?                  | N/A  |                      |
| M1<br>6 | Number of Reefs                               | <del>2 Reefs</del> 3                                 | <a href="#">HELP</a> |
| M1<br>7 | Intermediate Reefing Diamond Eyes (Yes or No) | YES ✓  | <a href="#">HELP</a> |
| M1<br>8 | Foot Reefing Grommets (next to boom)          | N/A  | <a href="#">HELP</a> |
| M1<br>9 | Reefing Ring Type <i>Photo</i>                | Floppy Rings <i>Daybowes</i>                         | <a href="#">HELP</a> |
| M2<br>0 | Luff Length (Max Hoist - P) ✓                 | 13.350m Max<br>(Net Finished size day of Delivery) ? | <a href="#">HELP</a> |
| M2<br>1 | Foot Length (Max Foot - E) ✓                  | 3.900m Max<br>(Net Finished size day of Delivery) ?  | <a href="#">HELP</a> |
| M2<br>2 | Leech Length (straight line head to clew)     | 13.780m Max<br>(Net Finished size day of Delivery) ? | <a href="#">HELP</a> |
| M2<br>3 | Bimini to Clear (yes or no)                   | N/A  | <a href="#">HELP</a> |
| M2<br>4 | Foot Round                                    | Sailmaker  |                      |
| M2<br>5 | Aspect Ratio                                  | Sailmaker  | <a href="#">HELP</a> |
| M2<br>6 | Vessel Backstay Measurement                   | 4.210m ✓   | <a href="#">HELP</a> |
| M2<br>7 | Luff Slides (Part Number)                     | A008   | <a href="#">HELP</a> |
| M2<br>8 | Foot Slides (Part Number)                     | Loose Footed ✓                                       | <a href="#">HELP</a> |
| M2<br>9 | Roach Type                                    | 1.1 Fit with in backstay                             | <a href="#">HELP</a> |

✓

✓

X

X

✓

✓

✓

✓



Mission LMC

7000209

|         |   |  |                      |
|---------|---|--|----------------------|
| M3<br>0 | Roach Factor                                | 1.1  | <a href="#">HELP</a> |
| M3<br>1 | MGM   | Sailmaker                                    | <a href="#">HELP</a> |
| M3<br>2 | MGU   | Sailmaker                                    | <a href="#">HELP</a> |
| M3<br>3 | Batten Type (Partial or Full)               | 4 Full                                       | <a href="#">HELP</a> |
| M3<br>4 | Include Battens                             | N/A  |                      |
| M3<br>5 | Install Nylon Batten Holders                | YES - Standard<br><i>Ridge on 1590</i>       | <a href="#">HELP</a> |
| M3<br>6 | Intermediate Sliders                        | Yes 2x A008                                  | <a href="#">HELP</a> |
| M3<br>7 | Cloth Weight                                | DP-DCX - H - Tri Radial                      |                      |
| M3<br>8 | Cut Type                                    | Tri Radial                                   |                      |
| M3<br>9 | Sail Area                                   | Sailmaker                                    |                      |
| M4<br>0 | Cunningham <i>200mm above Jack</i>          | <del>No</del> <i>yes</i>                     | <a href="#">HELP</a> |
| M4<br>1 | Telltails                                   | Yes  | <a href="#">HELP</a> |
| M4<br>2 | Triple Stitch                               | Yes  |                      |
| M4<br>3 | Sail Logo and Color (red, blue or black)    | No <i>stb side</i><br><i>www.vorwerk.com</i> | <a href="#">HELP</a> |
| M4<br>4 | Sail Logo Artwork                           | N/A  |                      |
| M4<br>5 | Sail Numbers and Color                      | No   | <a href="#">HELP</a> |
| M4<br>6 | Draft Stripe and Color (red, blue or black) | Yes (Color?) <i>no</i>                       | <a href="#">HELP</a> |
| M4<br>7 | Overhead Leech Line                         | No   |                      |
| M4      | Specialty Sail                              | No   | <a href="#">HELP</a> |

✓

~~X~~

✓

✓

✓

✓

~~X~~

✓

✓

~~X~~

~~X~~